

Contents

Preface xxxiii
Acknowledgments xxxv
Contributors xxxvii

Part I

An Overall View 1

1 Brain and Behavior 3

Eric R. Kandel

**Two Alternative Views Have Been
Advanced on the Relationship between
Brain and Behavior** 4

**Regions of the Brain Are Specialized
for Different Functions** 5

**Cognitive Function Can Be Localized
within the Cerebral Cortex** 6

**Affective and Character Traits Also Are
Anatomically Localizable** 10

Selected Readings 11

References 12

2 Nerve Cells and Behavior 13

Eric R. Kandel

**The Nervous System Contains Two Classes
of Cells** 14

Nerve Cells 14

Glial Cells 17

Nerve Cells Are the Signaling Units of Behavioral Responses 19

Resting Membrane Potential 19

*Input Signal: Receptor Potentials and Synaptic
Potentials* 21

Signal Integration 22

Conducting Signal: The Action Potential 22

Output or Secretory Signal 22

*Location of Signaling Functions within
Neurons* 22

Similar Signaling Mechanisms Occur in All Nerve Cells 22

Selected Readings 24

References 24

Part II

Cell and Molecular Biology of the Neuron 25

3 The Cytology of Neurons 27

James H. Schwartz

**The Two Classes of Nerve Cells That Mediate
the Stretch Reflex Differ in Morphology
and Transmitter Substances** 28

The Primary Afferent (Sensory) Neuron 29

The Motor Neuron 30

**The Sensory Neuron and the Motor Neuron Differ in
the Types of Receptor in Their Membranes** 31

The Two Neurons Share Similar Na⁺ Channels 32

The Two Neurons Have an Identical Na–K Exchange Mechanism 32

The Axons of Both Sensory and Motor Neurons Are Ensheathed in Myelin 32

A Major Function of the Neuron's Cell Body Is the Synthesis of Macromolecules 34

An Overall View 35

Selected Readings 35

References 35

4 **Synthesis and Distribution of Neuronal Protein** 37

James H. Schwartz

Nuclear mRNA Gives Rise to Three Classes of Proteins 38

Cytosolic Proteins 38

Mitochondrial Proteins 38

Membrane Proteins and Secretory Products 39

Anterograde Axonal Transport Controls Intracellular Distribution of Membranes and Secretory Proteins 42

Retrograde Axonal Transport 43

Hypotheses of the Mechanisms of Fast Transport 44

Fast Transport and Neuroanatomical Tracing 44

The Cytoskeleton Is Responsible for the Shape of Neurons 46

Fibrillar Elements Constitute the Neuronal Cytoskeleton 47

An Overall View 48

Selected Readings 48

References 48

5 **Resting Membrane Potential and Action Potential** 49

John Koester

The Membrane Potential Is Proportional to the Separation of Charge across the Cell Membrane 49

The Resting Membrane Potential Is Generated by the Differential Distribution of Ions and Selective Permeability of the Membrane 52

In Glial Cells the Membrane Is Selectively Permeable to K^+ 52

In Nerve Cells the Membrane Is Permeable to Several Ionic Species 54

The Passive Fluxes of Na^+ and K^+ Are Balanced by Active Ion Pumping Driven by the Na–K Pump 55

Cl^- Is Often Passively Distributed 55

The Action Potential Is Generated by a Change in the Selective Permeability of the Membrane from K^+ to Na^+ 56

The Resting and Action Potentials Can Be Quantified by the Goldman Equation 56

An Overall View 57

Selected Readings 57

References 57

6 **Nongated Channels and the Passive Membrane Properties of the Neuron** 58

John Koester

A Channel Is Characterized by Its Selectivity for Ions and Its Gating Properties 59

Electromotive Force Is Generated across the Membrane 60

The Membrane Has Conductive Pathways 60

The Resting Membrane Potential Can Be Calculated from the Equivalent Circuit of the Membrane 61

To Calculate V_m We Need Consider Only the Nongated K^+ and Na^+ Channels 62

The Equation for V_m Can Be Written in a More General Form 63

The Na–K Pump Counteracts the Passive Fluxes of Na^+ and K^+ 64

The Membrane Has Capacitance 64

An Overall View 65

Selected Readings 65

7 **Functional Consequences of Passive Membrane Properties of the Neuron** 66

John Koester

Membrane Capacitance Slows the Time Course of Signal Conduction 66

Simplified Equivalent Circuit Model 66

Rate of Change of Membrane Potential 67

Membrane Time Constant 69

Membrane and Axoplasmic Resistance Affect the Efficiency of Signal Conduction 69

Axon Diameter Affects Current Threshold 72

Passive Membrane Properties and Axon Diameter Affect the Velocity of Action Potential Propagation 72

Selected Readings 74

8 **Voltage-Gated Channels and the Generation of the Action Potential** 75

John Koester

The Action Potential Is Generated by the Flow of Ions Through Voltage-Gated Na⁺ and K⁺ Channels 75

Voltage-Dependent Channels Can Be Studied by Use of the Voltage Clamp 76

The Voltage Clamp Employs Negative Feedback 77
Na⁺ and K⁺ Currents Move Through Two Independent Channels 78

Na⁺ and K⁺ Conductances Are Calculated from Their Currents 79

The Action Potential Can Be Reconstructed from the Individual Electrical Properties of the Neuron 80

The Na⁺ Channel Can Be Characterized in Molecular Terms 81

Na⁺ Channels Are Sparsely Distributed but Are Highly Efficient Pathways for Na⁺ Flux 82

Voltage-Gated Channels Open in an All-or-None Fashion 82

Charge within the Membrane Is Rearranged When Voltage-Gated Na⁺ Channels Open 83

The Na⁺ Channel Selects for Na⁺ on the Basis of Size, Charge, and Energy of Hydration 83

The Major Subunit of the Na⁺ Channel Is a Large Glycoprotein 83

Membrane Channels Vary among Cell Types and among Different Regions of the Same Cell 85

An Overall View 86

Selected Readings 86

References 86

Synaptic Excitation of Skeletal Muscle by Motor Neurons Is Chemical and Is Now Understood in Molecular Terms 94

The Excitatory Synaptic Potential at the End-Plate Involves the Simultaneous Movement of Na⁺ and K⁺ 95

There Are Fundamental Differences between Chemically Gated and Voltage-Gated Channels 98

Studies of Single Chemically Gated Channels Reveal Information about Conformational Changes and the Molecular Mechanisms of Transmitter Action 99

Chemically Gated Channels Open in an All-or-None Fashion 99

Current Flow Depends on the Number of Open Channels and Transmitter Concentration 99

An Overall View 104

Postscript: The Synaptic Current Flow during the Excitatory Postsynaptic Potential Can Be Calculated on the Basis of a Simple Equivalent Circuit 104

Selected Readings 107

References 107

10 **Chemically Gated Ion Channels at Central Synapses** 108

Eric R. Kandel

Some Synaptic Actions Are Due to the Opening of Ion Channels That Are Closed at the Resting Potential 109

Experimental Background 109

Excitatory Postsynaptic Potentials on Motor Neurons 110

Current That Flows during the EPSP 110

Chemical Transmitters for Excitation 113

Inhibitory Postsynaptic Potentials on Motor Neurons 113

Current That Flows during the IPSP 113

Chemical Transmitters for Inhibition 115

Other Synaptic Actions Are Due to the Closing of Ion Channels That Are Open at the Resting Potential 115

Ionic Mechanisms for Signaling Have Features in Common 118

Integration of Signals Determines Firing of Action Potential 119

Selected Readings 119

References 119

Part III

Elementary Interactions between Neurons: Synaptic Transmission 87

9 **Principles Underlying Electrical and Chemical Synaptic Transmission** 89

Eric R. Kandel and Steven Siegelbaum

Synaptic Transmission Can Be Electrical or Chemical 89

11 Factors Controlling Transmitter Release 120

Eric R. Kandel

Certain Ion Species Are Necessary for Transmitter Release 120*Na⁺ Influx Is Not Necessary* 121*K⁺ Efflux Is Not Necessary* 122*Ca⁺⁺ Influx Is Necessary* 123**Transmitter Is Released in Packets Called Quanta 124****Amount of Ca⁺⁺ Influx Affects the Number of Quanta Released 125****Amount of Transmitter Release Can Be Controlled by Altering Ca⁺⁺ Influx 127***Intrinsic Regulatory Processes (Membrane Potential and Activity) Can Alter Ca⁺⁺ Influx and Accumulation within the Terminal* 127*Extrinsic Regulatory Processes (Presynaptic Inhibition and Facilitation) Can Also Alter Ca⁺⁺ Influx and Accumulation* 127**An Overall View** 130**Selected Readings** 130**References** 131**12 Morphology of Chemical Synapses and Patterns of Interconnection 132**

Michael D. Gershon, James H. Schwartz, and Eric R. Kandel

Chemical Synapses Can Be Classified into Directed and Nondirected Types 132**The Nerve–Skeletal Muscle Synapse Is an Example of a Directed Synapse 133***The Presynaptic Terminal: Vesicles, Exocytosis, and the Active Zone* 133

Active Zones 133

Freeze-Fracture Reveals the Panoramic Interior of Synaptic Membranes 134

Recycling of Vesicle Membranes 136

There Is Now Electrical Evidence for Exocytosis and for Membrane Retrieval 138

The Postsynaptic Component 138**The Autonomic Postganglionic Synapse Is an Example of a Nondirected Synapse 140****Synapses in the Central Nervous System Have Diverse Morphologies 140***Extent of Presynaptic Specialization* 140*Types of Synaptic Vesicles* 142*Geometry of the Zone of Apposition* 142*Site of Contact* 142**Inputs onto a Neuron Can Be Highly Segregated 142****Interconnections Give Rise to Local Processing of Information 144****An Overall View** 146**Selected Readings** 146**References** 146**13 Chemical Messengers: Small Molecules and Peptides 148**

James H. Schwartz

The Nature of Chemical Messengers 148**Small-Molecule Transmitter Substances 150***Acetylcholine* 150*Biogenic Amine Transmitters* 151*Amino Acid Transmitters* 152**Neuroactive Peptides 153****Peptides and Small-Molecule Transmitters Differ in Several Presynaptic Features 155****Chemical Messengers Can Be Localized within Neurons 156****An Overall View** 156**Selected Readings** 157**References** 158**14 Molecular Aspects of Postsynaptic Receptors 159**

James H. Schwartz

Structure and Function of Receptors 160**There Are Two Classes of Receptors, One That Mediates Changes in Membrane Conductance and Another That Mediates Changes in the Metabolic Machinery of the Postsynaptic Cell 160***The Nicotinic Acetylcholine Receptor Is a Multimeric Intrinsic Membrane Protein* 160*Partial Characterization of Other Ionophoric Receptors Indicates That They Also Are Large Membrane Protein Complexes* 163**An Important Class of Receptors Mediates Changes in the Metabolic Machinery of the Postsynaptic Cell 164****Characterization of Receptors by Speed of Onset and by Duration of Action 166****An Overall View** 167**Selected Readings** 167**References** 167

15 Molecular Steps in Synaptic Transmission 169

James H. Schwartz

Vesicles Store and Release Chemical Messengers 170

Storage in Vesicles Protects the Transmitter from Degradation 170

Subcellular Fractionation Allows Biochemical Study of Vesicles 170

Transmitter Is Actively Taken up into Vesicles 171

Vesicles Are Involved in Transmitter Release 171

Vesicle Membranes Differ with Type of Neuron 172

Transmitter Is Removed from the Synaptic Cleft to Terminate Synaptic Transmission 172

A Late Consequence of Transmitter Action: Control of Transmitter Biosynthesis in the Postsynaptic Cell 172

Catecholamine Biosynthesis 173

Acetylcholine Biosynthesis 174

An Overall View 174

Selected Readings 175

References 175

16 Diseases of Chemical Transmission at the Nerve–Muscle Synapse: Myasthenia Gravis 176

Lewis P. Rowland

Myasthenia Gravis Is Defined by Means of Clinical, Physiological, and Immunological Criteria 176

The Essential Characteristics of the Disease Were Defined between 1877 and 1970 177

Physiological Studies Showed a Disorder of Neuromuscular Transmission 178

Immunological Studies Indicated That Myasthenia Is an Autoimmune Disease 178

Identification of Antibodies to ACh Receptor Initiated the Modern Period of Research 179

The Antibodies Make Animals Myasthenic 179

The Antibodies Lead to Symptoms in Humans 180

Immunological Changes Cause the Physiological Abnormality 180

Antireceptor Antibodies Can Now Be Produced without Receptor 182

Important Problems Remain To Be Solved 182

Myasthenia Gravis May Be a Heterogeneous Syndrome 184

Current Therapy Is Effective but Not Ideal 184

Other Disorders of Neuromuscular Transmission: Presynaptic (Facilitating) Neuromuscular Block 184

An Overall View 185

Selected Readings 185

References 185

17 Reactions of Neurons to Injury 187

James P. Kelly

Cutting the Axon Causes Changes in the Neuron and in Glial Cells 188

Terminal Degeneration Leads to the Rapid Loss of the Presynaptic Terminal 188

Wallerian Degeneration Leads to the Slow Loss of the Distal Axon Segment 189

The Neuronal Cell Body Also Reacts to Axotomy 191

Central Axons Can Regenerate under Certain Favorable Circumstances 192

Glial Cells Absorb the Debris Caused by Injury 192

Transneuronal Degeneration Leads to Changes in Cells to Which the Damaged Neuron Connects 193

The Prognosis for Recovery from Damage to the Nerve Cells of the Brain May Soon Be Improved 194

An Overall View 194

Selected Readings 194

References 195

18 Diseases of the Motor Unit: The Motor Neuron, Peripheral Nerve, and Muscle 196

Lewis P. Rowland

The Motor Unit Is the Functional Element of the Motor System 196

Neurogenic and Myopathic Diseases Are Defined by the Component of the Motor Unit That Is Affected 197

Neurogenic and Myopathic Diseases Are Distinguished by Clinical and Laboratory Criteria 198

Clinical Evidence 198

Laboratory Evidence 199

Diseases of the Motor Neuron 202*Chronic and Acute Diseases* 202*Pathophysiology* 203**Diseases of Peripheral Nerves (Peripheral Neuropathies)** 203*Positive and Negative Symptoms* 204*Pathophysiology of Demyelinating Neuropathies* 204**Diseases of Muscle (Myopathies) Can Lead to Weakness or Myotonia** 206*Inherited Myopathies* 206*Acquired Myopathies* 206*Degeneration of Muscle Fibers May Not Be the Only Cause of Weakness in Muscle Disease* 206*Some Forms of Myotonia May Be Due to Decreased Numbers of Cl⁻ Leakage Channels* 207**An Overall View** 208**Selected Readings** 208**Part IV****Functional Anatomy****of the Central Nervous System** 209**19 Principles of the Functional and Anatomical Organization of the Nervous System** 211

James P. Kelly

The Central Nervous System Has an Axial Organization 211**The Central Nervous System Is Subdivided into Six Main Regions** 212**The Cerebral Cortex Is Further Subdivided into Four Lobes** 214**The Central Nervous System Surrounds an Interconnected System of Four Cavities Called Ventricles** 215**Even Simple Behavior Recruits the Activity of Three Major Sets of Functional Systems** 216**The Motivational Systems Act Through Two Independent Motor Systems: the Autonomic and Somatic** 218**Four Principles Govern the Organization of the Functional Systems of the Brain** 220*Each Major System in the Brain Is Composed of Several Distinct Pathways in Parallel* 220*Each Pathway Contains Synaptic Relays* 220*Each Pathway Is Topographically Organized* 220*Most Pathways Are Crossed* 221**An Overall View** 221**Selected Readings** 221**References** 221**20 Anatomical Basis of Sensory Perception and Motor Coordination** 222

James P. Kelly

In the Somatic Sensory Systems, Axons Travel along the Spinal Cord to the Brain 223*Dorsal Root Ganglion Cells Provide Input to the Spinal Cord* 223*The Spinal Cord Is Composed of Both Gray and White Matter* 225*The Internal Structure of the Spinal Cord Varies at Different Cross-Sectional Levels* 225*Axons of Dorsal Root Ganglion Cells Are Somatotopically Arranged* 227*Axons of the Dorsal Root Ganglion Cells That Course in the Dorsal Columns Synapse in the Medulla* 227**The Medial Lemniscus Ascends Through the Brain Stem** 228**The Thalamus Is Composed of Six Functionally Distinct Nuclear Groups** 231*Each Nuclear Group Belongs to One of Three Functional Classes* 232

Specific Relay Nuclei 232

Association Nuclei 234

Nonspecific Nuclei 235

Relation of the Thalamic Nuclei to Cortical Function 235*All Other Major Sensory Systems Relay Through the Thalamus on the Way to the Cortex* 235

Vision 235

Hearing and Balance 235

Taste 235

Smell 236

The Cerebral Cortex Consists of Layers of Neurons 236*The Two Main Varieties of Cortical Neurons Are Pyramidal and Stellate Cells* 236*The Pattern of Layering Varies in Different Cortical Areas* 237**The Descending Motor Systems Interconnect the Cortex, Basal Ganglia, and Thalamus** 238*The Cerebellum Is Important in Regulating the Automatic Control of Movement* 238*The Basal Ganglia Project to the Motor Cortex via the Thalamus* 239

Various Inputs Converge on the Motor Cortex 240

The Corticospinal Tract Is a Direct Pathway from the Cortex to the Spinal Cord 241

The Motivational Systems Include Connections between the Limbic System and the Hypothalamus 243

An Overall View 243

Selected Readings 243

References 243

21 **Development as a Guide to the Regional Anatomy of the Brain** 244

John H. Martin

The Neural Tube and Its Vesicles Are the Embryonic Precursors of the Various Brain Regions 245

The Spinal Cord and Brain Stem Have a Similar Developmental Plan 248

The Cavities of the Brain Vesicles Are the Embryonic Precursors of the Ventricles 250

The Ventricular System Provides a Framework for Understanding the Regional Anatomy of the Diencephalon and Cerebral Hemispheres 252

The Caudate Nucleus Is C-Shaped and Parallels the Lateral Ventricles 255

The Major Components of the Limbic System Are Also C-Shaped 255

An Understanding of the C-Shaped Gyri Is Necessary for Interpreting Sections Through the Brain 258

An Overall View 258

Selected Readings 258

References 258

22 **Imaging the Living Brain** 259

John H. Martin and John C. M. Brust

Computerized Tomography (CT) Scanning Has Improved the Resolution of Images of Brain Structures 260

Positron Emission Tomography (PET) Scanning Yields a Dynamic Picture of Brain Function 267

Magnetic Resonance Imaging (MRI) Creates Brain Images without Using X-rays 269

MRI Images Can Provide an Atlas of Key Sections Through the Living Brain 269

Midsagittal Section Reveals C-Shaped Structures 269

Parasagittal Section Shows Shape of the Lateral Ventricle 271

The Corticospinal Tract Is Located on the Ventral Surface of the Medulla 271

The Dorsal Surface of the Pons Forms Part of the Floor of the Fourth Ventricle 271

The Superior and Inferior Colliculi Form the Dorsal Surface of the Midbrain 271

Horizontal Section Through the Cerebral Hemispheres Allows Both Cortical and Subcortical Structures to Be Visualized 271

The Caudate Nucleus Forms the Wall of the Anterior Horn and Body of the Lateral Ventricle 280

The Anterior Limb of the Internal Capsule Separates the Caudate Nucleus from the Globus Pallidus and Putamen 280

MRI Facilitates Clinical Diagnosis 280

An Overall View 282

Selected Readings 282

References 283

Part V

Sensory Systems of the Brain: Sensation and Perception 285

23 **Receptor Physiology and Submodality Coding in the Somatic Sensory System** 287

John H. Martin

Sensory Systems Are Organized in a Hierarchical and Parallel Fashion 288

Sensory Psychophysical Studies Correlate Behavior with the Physiology of Neurons 288

Sensory Thresholds for Perception and for Afferent Fibers May Be Equal 289

Stimulus Intensity Evaluation Is Correlated with the Discharge Rate of Afferent Fibers 290

Spatial Discrimination Is Explained by Receptor Innervation Density 290

Stimulus Features Are Electrically Encoded by Receptors 291

Sensory Transduction Is the First Step in the Extraction of Stimulus Features 291

Stimulus Intensity Is Encoded by Frequency and Population Codes 292

Rapid Receptor Adaptation Is a Form of Feature Extraction 292

Different Classes of Afferent Fibers Conduct Action Potentials at Different Rates 293

Different Classes of Somatic Receptors Are Sensitive to Different Stimuli 294

Stimulus Quality Is Encoded by a Labeled Line Code 294

Pain Is Mediated by Nociceptors 294

Thermal Sensation Is Mediated by Cold and Warm Receptors 295

Tactile Sensations Are Mediated by Slowly and Rapidly Adapting Mechanoreceptors 296

Proprioception Is Mediated by Muscle Afferent Fibers 297

An Overall View 299

Selected Readings 300

References 300

24 Anatomical Substrates for Somatic Sensation 301

John H. Martin

The Area of Skin Innervated by a Single Dorsal Root Is Called a Dermatome 301

The Spinal Cord Is Organized into Gray and White Matter 304

Spinal Gray Matter Contains Nerve Cell Bodies 304

Spinal White Matter Contains Myelinated Axons 306

Dorsal Root Fibers Run in the White Matter and Arborize in the Gray Matter 306

Two Major Ascending Systems Convey Somatic Sensory Information to the Cerebral Cortex 307

The Dorsal Column–Medial Lemniscal System Mediates Tactile Sense and Limb Proprioception 307

The Anterolateral System Mediates Pain and Temperature Sense 311

The Primary Somatic Sensory Cortex Is Divided into Four Parts 312

Pyramidal Cells Are the Output Cells of the Cerebral Cortex 313

An Overall View 315

Selected Readings 315

References 315

25 Central Representation of Touch 316

Eric R. Kandel

Sensory Systems Transform Information at Specific Relay Points 317

The Body Surface Is Mapped onto the Brain 319

Functional Analyses Localized-Somatic Sensations to Specific Regions of Cortex 319

Modern Electrophysiological Studies Correlated Body Areas and Cortical Areas 320

Why Is the Map So Distorted? 322

Each Central Neuron Has a Specific Receptive Field 323

Sizes of Receptive Fields Vary 324

Receptive Fields Have a Fine Structure 325

Lateral Inhibition Can Aid in Two-Point Discrimination 325

Modality-Specific Labeled Communication Lines Are Organized into Columns 326

Modality-Specific Columns Are Grouped into Domains 326

Dynamic Properties of Receptors Are Matched to Those of Central Neurons 327

Feature Detection: Some Central Nerve Cells Have Complex Properties 328

An Overall View 329

Selected Readings 330

References 330

26 Central Representations of Pain and Analgesia 331

Dennis D. Kelly

Pain Is Transmitted by Specific Neural Pathways 332

Receptors for Pain May Be Activated by Mechanical, Thermal, or Chemical Stimuli 332

Primary Pain Afferents Terminate in the Dorsal Horn of the Spinal Cord 332

At Least Two Populations of Neurons in the Spinal Cord Transmit Information about Pain 333

Spinal Pain Projections to the Brain Stem Are Widespread 334

Thalamic Relays Preserve the Duality of Ascending Pain Projections 334

Central Pain Syndrome: Surgery Intended to Relieve Existing Pain May Produce New Pain 335

The Gate Control Theory Emphasized the Modulation of Pain by Sensory and Emotional Stimuli 335

Pain Is Also Inhibited by Select Neural Pathways: The Mechanisms of Analgesia 336

Direct Electrical Stimulation of the Brain Produces Analgesia 336

Stimulation-Produced Analgesia Is Related to Opiate Analgesia 337

Opiate Receptors Are Distributed Throughout the Nervous System 337

There Are Three Branches of Opioid Peptides 337

Different Classes of Opiate Receptors Mediate Different Actions 340

Spinal Neurons That Transmit Pain Are Subject to Descending Control 340

Behavioral Stress Can Induce Analgesia via Both Opioid and Non-Opioid Mechanisms 340

An Overall View 342

Selected Readings 342

References 342

27 The Retina and Phototransduction 344

Craig H. Bailey and Peter Gouras

There Are Two Types of Photoreceptors: Rods and Cones 344

Rods and Cones Differ in Structure and Function 346

Excitation of Rod Cells Involves the Breakdown of Rhodopsin 347

Excitation of Cone Cells Involves the Breakdown of Cone Opsin 347

Light Is Transduced into Electrical Signals by a Second-Messenger System 347

Visual Information Is Processed by Five Major Classes of Neurons in the Retina 349

There Are Distinct On-Center and Off-Center Pathways 350

The On-Center and Off-Center Pathways Use Both Electrical and Chemical Synapses 351

There Are Parallel Systems of Ganglion Cells 353

Horizontal Cells Are Local Interneurons in the Outer Plexiform Layer That Contribute to Center-Surround Antagonism 353

Amacrine Cells Are Local Interneurons in the Inner Plexiform Layer That Mediate Antagonistic Interactions 353

An Overall View 354

Selected Readings 355

References 355

28 Anatomy of the Central Visual Pathways 356

James P. Kelly

The Visual Field Is the Projection of the Visual World on the Retina 356

The Lateral Geniculate Nucleus Is Composed of Six Cellular Layers 359

The Superior Colliculus and Pretectum Are Visual Reflex Centers 361

Superior Colliculus 361

Pretectal Region 361

Lesions in the Visual Pathway Cause Predictable Changes in Sight 362

The Primary Visual Cortex Has a Characteristic Cellular Architecture 363

An Overall View 365

Selected Readings 365

References 365

29 Processing of Form and Movement in the Visual System 366

Eric R. Kandel

The Superior Colliculus Participates in Visually Guided Saccadic Eye Movements 367

The Retina Is Mapped in the Lateral Geniculate Nucleus and Visual Cortex 367

Receptive Fields of Neurons in Various Parts of the Visual System Have Different Properties 370

The Ganglion Cells of the Retina Project Information to the Lateral Geniculate Nucleus by Means of Several Independent Channels 372

The Lateral Geniculate Nucleus Enhances the Antagonisms between the Center and the Surround 372

The Primary Visual Cortex Transforms the Visual Message in Various Ways 373

The Primary Visual Cortex Is Organized into Columns 376

Simple and Complex Cells May Contribute to Positional Invariance in Perception 378

- Cells in the Higher Order Visual Cortices Elaborate the Visual Message Further** 378
- Some Feature Abstraction Could Be Accomplished by Progressive Convergence** 381
- Visual Perception Also Involves Parallel Processing** 381
- An Overall View** 382
- Selected Readings** 382
- References** 383
- 30 Color Vision** 384
- Peter Gouras
- Cones Have Three Different Pigments** 385
- Good Color Discrimination Requires Three Photoreceptor Systems** 386
- Color Experience Is Composed of Impressions of Hue, Saturation, and Brightness** 386
- Color Vision Is Best Explained by Combining Trichromacy with Color Opponent Interactions** 388
- Color Is Coded by Single-Opponent and Double-Opponent Cells** 389
- Many Double-Opponent Cells Have Receptive Fields That Are Not Oriented** 392
- Is Color Analyzed Independently of Form?** 394
- Color Blindness Can Be Caused by Genetic Defects in the Photoreceptor or by Retinal Disease** 394
- An Overall View** 394
- Selected Readings** 395
- References** 395
- 31 Auditory System** 396
- James P. Kelly
- The Conductive Apparatus Transforms Acoustic Waves into Mechanical Vibrations** 397
- The Cochlea Transduces Changes in Fluid Pressure into Neural Activity** 399
- Different Regions of the Cochlea Are Selectively Responsive to Different Frequencies of Sound** 400
- Individual Hair Cells at Different Points along the Basilar Membrane Are Tuned Electrically as well as Mechanically** 402
- The Cochlea Is Innervated by Fibers of the Eighth Nerve** 402
- The Central Auditory Pathways Are Organized Tonotopically** 402
- Each Cochlea Is Bilaterally Represented in the Brain** 406
- An Overall View** 408
- Selected Readings** 408
- References** 408
- 32 The Chemical Senses: Taste and Smell** 409
- Vincent F. Castellucci
- Taste Receptors in the Tongue Are Specialized for Certain Taste Qualities** 410
- Four Basic Taste Qualities Can Be Delineated* 410
- Transduction Requires the Binding of Molecules to Specific Receptors on Taste Cells* 410
- Taste Receptor Cells Contained in Papillae Are Embedded in Taste Buds* 411
- The Central Pathway of the Taste System Involves Distinct Representations in the Thalamus and Cortex** 412
- Taste Sensation Is Coded by Labeled Lines and Patterns of Activity across Labeled Lines** 413
- Both Inborn and Learned Taste Preferences Are Important for Behavior** 416
- Certain Aspects of Taste Perception Are Genetically Determined* 417
- Taste-Aversion Learning Is Demonstrated by the "Sauce Béarnaise" Phenomenon* 417
- Olfactory Receptors Have Receptor Sites Specialized for Certain Odors** 417
- There Are at Least Seven Primary Odors, Probably More* 417
- Olfactory Receptors Lie within the Olfactory Epithelium* 418
- Neuronal Coding for Olfaction Involves a Novel Use of Neural Space** 420
- The Olfactory System Projects to the Paleocortex before Relaying to the Neocortex via the Thalamus** 423
- Abnormalities of Olfaction Vary Greatly in Degree of Sensory Loss** 424
- An Overall View** 424
- Selected Readings** 425
- References** 425

Part VI**Motor Systems of the Brain: Reflex and Voluntary Control of Movement 427****33 Introduction to the Motor Systems 429**

Claude Ghez

Motor Commands Are Tailored to the Physical Constraints of the Muscles, Bones, and Joints 430**The Four Major Components of the Motor Systems Are Hierarchically Organized 431***The Spinal Cord Is the First Level in the Motor Hierarchy 431**The Brain Stem Is the Second Level in the Motor Hierarchy 433**The Motor and Premotor Cortices Are the Third and Fourth Levels in the Motor Hierarchy 433**There Are Three Important Aspects of the Hierarchical Organization 433***The Cerebellum and the Basal Ganglia Control the Components of the Motor Hierarchy 433****The Various Motor Control Levels Are Also Organized in Parallel 433****In the Spinal Cord Motor Neurons Are Subject to Afferent Input and Descending Control 435***Afferent Fibers and Motor Neurons 435**Interneurons and Propriospinal Neurons 435***Two Groups of Descending Pathways from the Brain Stem Control Different Muscle Groups 436***Ventromedial Pathways 436**Dorsolateral Pathways 436***The Motor Cortex Exercises Descending Motor Control via Corticospinal and Corticobulbar Tracts 437***Origin, Course, and Terminations of the Corticospinal and Corticobulbar Tracts 438**Cortical Control of Movement Is Achieved Only Late in Phylogeny 438**The Motor Cortex Is Itself Influenced by Both Cortical and Subcortical Inputs 440***The Several Levels of Motor Neuron Control Have Functional Consequences 440****Lesions of the Corticospinal System Cause Characteristic Symptoms 440***Positive and Negative Signs 440**Upper and Lower Motor Neuron Lesions 441***Selected Readings 442****References 442****34 Muscles and Muscle Receptors 443**

Thomas J. Carew and Claude Ghez

Skeletal Muscle Fibers and Motor Neurons Are Functionally Specialized 443**The Nervous System Can Grade the Force of Muscle Contraction in Two Ways 444***Recruitment: The Size Principle 444**Rate Coding 445***Skeletal Muscles Filter the Information Contained in the Neural Spike Trains That Control Them 446****Muscles Have Springlike Properties 447***Alterations in Set Points 447**Equilibrium Points and the Control of Limb Position 448***Muscles Have Specialized Receptors That Convey Information to the Central Nervous System 451***Muscle Spindles 451**Golgi Tendon Organs 452**Muscle Afferents 452***Muscle Stretch Receptors Convey Information about Muscle Length, Tension, and Velocity of Stretch 452****The Central Nervous System Can Directly Control the Sensitivity of Muscle Spindles 453***Dynamic and Static Gamma Motor Neurons 454**Functional Role of the Gamma System 454**Skeletofusimotor Innervation 454***An Overall View 455****Selected Readings 455****References 456****35 The Control of Reflex Action 457**

Thomas J. Carew

Ia Afferent Fibers Contribute to the Stretch Reflex 458*Basic Features of the Stretch Reflex 458**Central Connections of the Ia Afferent Fibers 458***Ib Afferent Fibers Contribute to the Inverse Myotatic Reflex 461****Group II Afferent Fibers Contribute to Stretch and Flexion Reflexes 462***Direct Actions on Homonymous Motor Neurons: Stretch Reflex 462**Polysynaptic Pathways: Flexion Reflexes 462*

Reflexes of Muscle Origin Are Functionally Significant 462*The Gamma Loop and the Length-Servo Hypothesis* 462*Reflexes Mediated by Muscle May Regulate the Stiffness of Muscle* 465*Descending Control of Muscle Set Point* 465**Afferent Fibers from Cutaneous and Deep Receptors Mediate a Reflex Consisting of Ipsilateral Flexion and Contralateral Extension** 466**Reflex Activity Is Subject to Supraspinal and Intraspinal Influences** 467**Selected Readings** 468**References** 468**36 Clinical Syndromes of the Spinal Cord** 469

Lewis P. Rowland

Clinically Important Anatomy 469**Somatotopic Organization of the Spinothalamic Tract Is an Aid to Diagnosis** 470**Function Is Lost below a Transverse Spinal Lesion** 471*Motor Level* 471*Sensory Level* 471**It Is Important to Distinguish Intra-axial from Extra-axial Disease** 474**Lesions of the Spinal Cord Often Give Rise to Characteristic Syndromes** 474*Complete Transection* 474*Partial Transection* 475*Hemisection (Brown-Séguard Syndrome)* 475*Multiple Sclerosis* 475*Syringomyelia* 475*Subacute Combined Degeneration* 476*Friedreich's Ataxia* 476**An Overall View** 476**Selected Readings** 477**References** 477**37 Posture and Locomotion** 478

Thomas J. Carew

Descending Influences Play a Major Role in Postural Control 478*Decerebrate Rigidity Provides a Model for Studying Tonic Modulation* 478

Reticulospinal Influences 479

Vestibulospinal Influences 480

Cerebellar Influences 480

Applicability of the Model to Clinical Syndromes of Spasticity and Rigidity 480

Clinical Syndromes of Spasticity and Rigidity 481

Descending Influences and Reflex Mechanisms Interact in Controlling Human Posture 481**Neural Control of Locomotion Involves Translation of a Tonic Descending Message into Rhythmic Locomotor Output** 482*The Central Program Controlling Locomotion Is Located in the Spinal Cord* 483*The Central Program Is Modulated by Descending Influences* 484*Ascending Information from the Spinal Cord Is Sent to Higher Brain Centers during Locomotion* 484*Afferent Information Is Crucial for Locomotion* 484**An Overall View** 485**Selected Readings** 485**References** 486**38 Voluntary Movement** 487

Claude Ghez

The Motor Cortex Is Topographically Organized 488**The Corticospinal Tract Originates from Pyramidal Neurons in the Cortex** 489*Corticospinal Neurons of the Motor Cortex Play a Preeminent Role in Controlling Distal Muscles* 489*Corticospinal Neurons of the Motor Cortex Influence Motor Neurons Through Direct and Indirect Connections* 489**Neurons of the Motor Cortex, Which Become Active before the Onset of Voluntary Movement, Encode the Force to Be Exerted** 490*Subgroups of Neurons in the Motor Cortex Encode Different Aspects of the Force Trajectory Required for Movement* 491*Neurons in the Motor Cortex Are Informed of the Consequences of Movement* 492*Not All Movements Are under the Control of the Motor Cortex* 493**Voluntary Movement Requires a Plan of Action: The Central Motor Program** 494*The Supplementary Motor Area Is Important in Programming Motor Sequences* 496*The Premotor Cortex Is Important in Arm Projection and Sensory Guidance* 498

The Posterior Parietal Cortex Plays a Critical Role in Providing the Spatial Information for Targeted Movements 499

An Overall View 499

Selected Readings 500

References 500

39 The Cerebellum 502

Claude Ghez and Stanley Fahn

The Regional Organization of the Cerebellum Reflects Its Functions 503

The Cerebellum Is Divided into Three Lobes by Two Deep Transverse Fissures 503

Two Longitudinal Furrows Divide the Cerebellum into Medial and Lateral Regions 505

The Cellular Organization of the Cerebellum Is Highly Regular 506

The Cerebellar Cortex Is Divided into Distinct Molecular, Purkinje, and Granular Layers 506

Input Reaches the Cerebellum via Two Excitatory Fiber Systems: Mossy and Climbing Fibers 507

Inhibitory Side Loops Modulate Purkinje Cell Activity 508

Aminergic Systems Project from Brain Stem Nuclei 509

The Three Functional Divisions of the Cerebellum Have Different Connections and Different Phylogenetic Origins 509

The Vestibulocerebellum Controls Balance and Eye Movements 510

The Spinocerebellum Contains Topographical Maps of the Body That Receive Sensory Information from the Spinal Cord 511

Somatic Sensory Information Reaches the Cerebellum Through Direct and Indirect Mossy Fiber Pathways 512

Efferent Spinocerebellar Projections Control the Medial and Lateral Descending Systems 513

The Spinocerebellum Uses Sensory Feedback to Control Muscle Tone and the Execution of Movement 516

The Cerebrocerebellum Coordinates the Planning of Limb Movements 516

Input from the Cerebral Cortex Is Conveyed to the Cerebellum Through the Pontine Nuclei 516

The Output of the Cerebrocerebellum Is Mediated by the Dentate Nuclei, Which Control Motor and Premotor Areas of the Cortex 518

Lesions of the Cerebrocerebellum Produce Delays in Movement Initiation and in Coordination of Limb Movement 518

Does the Cerebellum Have a Role in Motor Learning? 518

Cerebellar Diseases Can Be Localized by Their Clinical Features 520

Disease of the Vestibulocerebellum Causes Disturbances of Equilibrium 521

Disease of the Spinocerebellum Usually Affects the Anterior Lobe and Causes Disorders of Stance and Gait 521

Diseases of the Cerebrocerebellum Cause Disorders of Speech and Coordinated Movement 521

Selected Readings 521

References 521

40 Motor Functions of the Basal Ganglia and Diseases of Transmitter Metabolism 523

Lucien Côté and Michael D. Crutcher
Nuclei of the Basal Ganglia 524

Basal Ganglia Receive Input from the Cortex, Thalamus, and Substantia Nigra and Project Mainly Back to the Cortex via the Thalamus 524

Afferent Connections 524

Internuclear Connections 525

Efferent Connections 525

Modular and Somatotopic Organization 528

Basal Ganglia May Contribute to Cognition 528

Diseases of the Basal Ganglia Cause Characteristic Symptoms 528

Parkinson's Disease 529

Huntington's Disease and the Dopaminergic-Cholinergic-GABA-ergic Loop 531

The Genetic Marker for Huntington's Disease 532

Tardive Dyskinesia 534

Experimental Manipulation of Transmitter Systems 534

An Overall View 534

Selected Readings 534

References 534

Part VII**The Brain Stem and Reticular Core:
Integration of Sensory and Motor
Systems 537****41 Cranial Nerve Nuclei, the Reticular
Formation, and Biogenic
Amine-Containing Neurons 539**

James P. Kelly

**Most Cranial Nerves Originate in the Brain Stem
and Innervate the Head, Neck, and Special Sense
Organs 540****Cranial Nerves Contain Visceral and Somatic
Afferent and Efferent Fibers 544***There Are Three Types of Motor Neurons in the
Brain Stem: Somatic, Special Visceral, and
General Visceral 545**There Are Four Types of Afferent Neurons:
General Somatic, Special Somatic, General
Visceral, and Special Visceral 546***Cranial Nerve Nuclei Are Grouped into Seven
Columns 546***The Somatic Motor Column Contains Motor
Neurons That Innervate the Extraocular
Muscles and the Tongue 548**The Special Visceral Motor Column Contains
Motor Neurons That Innervate the
Branchiomeric Muscles of the Larynx,
Pharynx, Face, and Jaw 549**The General Visceral Motor Column Contains
Preganglionic Parasympathetic Neurons 550**The General and Special Visceral Afferent
Columns Contain Neurons That Provide the
Sensory Innervation for the Taste Buds,
Larynx, Pharynx, Blood Vessels, and
Viscera 552**The Special Somatic Afferent Column Contains
Neurons That Innervate the Cochlear and the
Vestibular Sensory Organs 552**The General Somatic Afferent Column Contains
Neurons That Innervate the Face and the
Mucous Membranes of the Mouth 552***Principles of Organization Governing the Cranial
Nerves 552****Specific Sensory and Motor Tracts Traverse the
Brain Stem 553****Cranial Nerve Fiber Types Mix in the
Periphery 553****Reticular Neurons Form Widespread
Networks 556****Some Reticular Neurons Are Grouped According
to Their Chemical Messengers 558***Noradrenergic System 558**Dopaminergic System 558**Serotonergic System 558***Reticular Neurons Have Several Functions 560****Selected Readings 560****References 560****42 Trigeminal System 562**

James P. Kelly

**The Fifth Nerve Has Three Major Peripheral
Branches 562***All Three Major Branches Contain Sensory
Fibers 563**Autonomic Fibers Run with Branches of the Fifth
Nerve 563***Fifth Nerve Fibers Ascend to the Main Sensory
Nucleus and Descend to the Spinal Nucleus 564***The Mesencephalic Nucleus of the Fifth Nerve
Mediates Proprioception from the Muscles of
the Jaws 564**The Spinal Tract and Nucleus of the Fifth Nerve
Mediate Pain and Temperature Sensation 565**Caudal Nucleus 566
Interpolar Nucleus 566
Oral Nucleus 567**The Main Sensory Nucleus Mediates Touch
Sensation from the Face 567***Ascending Information from the Trigeminal
Complex Reaches the Cortex via the
Thalamus 567****Whiskers in Rodents Have a Unique Functional
Representation in the Cerebral Cortex 569****An Overall View 570****Selected Readings 570****References 570****43 Oculomotor System 571**

Peter Gouras

**Three Pairs of Muscles Move the Eyeball along
Three Axes 571****Five Neural Control Systems Keep the Fovea
on Target 573***Saccadic Eye Movement System 574**Smooth Pursuit Movement System 575**Vestibulo-Oculomotor Reflex System 576*

- Optokinetic Movement System* 577
Vergence Movement System 578
- Misalignment** 578
- Oculomotor Neurons Fire at Very High Rates** 578
- Premotor Centers Act Directly and Indirectly on Oculomotor Neurons** 579
- The Vestibular Nuclei Are Important for Many Types of Eye Movement* 579
- Neurons in the Pontine Gaze Center Are Heavily Involved in Programmed Eye Movements Such as Horizontal Saccades* 579
- Burst Cells 579
 Tonic Cells 579
 Burst-Tonic Cells 580
 Pause Cells 580
 Interconnection of Cell Types 580
- The Superior Colliculus Coordinates Visual Input with Eye Movements* 581
- Two Cortical Eye Fields Act on the Premotor Cells** 582
- Frontal Eye Fields* 582
Occipital Eye Fields 583
- An Overall View** 583
- Selected Readings** 583
- References** 583

44 Vestibular System 584

- James P. Kelly
- The Vestibular Labyrinth Is Part of the Membranous Labyrinth** 585
- Endolymph Fills the Vestibular Labyrinth and Perilymph Surrounds It* 586
- Specialized Regions of the Vestibular Labyrinth Contain Receptors* 586
- The Arrangement of Vestibular Hair Cells Is Integral to Their Function as Receptors** 587
- Hair Cells Are Polarized Structurally and Functionally* 587
- Semicircular Ducts Work in Pairs* 588
- Hair Cells in the Utricle Are Polarized toward the Striola* 589
- The Central Connections of the Vestibular Labyrinth Reflect Its Dynamic and Static Functions** 591
- The Central Axons of the Neurons of the Vestibular Ganglion Run in the Eighth Cranial Nerve to the Brain Stem* 591
- Each Nucleus of the Vestibular Nuclear Complex Has Distinctive Connections* 591

- Lateral Vestibular Nucleus 592
 Medial and Superior Vestibular Nuclei 593
 Inferior Vestibular Nucleus 594

Movements of the Head and Neck Can Produce Tonic Neck and Labyrinthine Reflexes 594

- An Overall View** 594
- Selected Readings** 596
- References** 596

45 Clinical Syndromes of the Brain Stem 597

- Lewis P. Rowland
- Familiarity with Anatomy Is Necessary to Locate Lesions in the Brain Stem** 598
- Extra-axial Lesions Are Illustrated by Tumors of the Cerebellopontine Angle** 598
- Intra-axial Lesions Often Cause Gaze Palsies and Internuclear Ophthalmoplegia** 599
- Gaze Palsies* 599
Syndrome of the Medial Longitudinal Fasciculus: Internuclear Ophthalmoplegia 600
- Vascular Lesions of the Brain Stem and Midbrain May Cause Characteristic Syndromes** 601
- Medial Syndromes of the Medulla and Pons* 604
Lateral Syndromes of the Medulla and Pons 604
Midbrain Syndromes 606
Coma and the Locked-in Syndrome 606
- An Overall View** 606
- Selected Readings** 606
- References** 607

Part VIII **Hypothalamus, Limbic System, and Cerebral Cortex: Homeostasis and Arousal** 609

- #### 46 Hypothalamus and Limbic System I: Peptidergic Neurons, Homeostasis, and Emotional Behavior 611
- Irving Kupfermann
- The Anatomy of the Limbic System and Hypothalamus Is Related to Their Functions** 612
- Higher Cortical Centers Communicate with the Hypothalamus via the Limbic System* 612

- The Structure of the Hypothalamus Reflects Its Diverse Functions* 614
- The Hypothalamus Contains Various Classes of Peptidergic Neuroendocrine Cells** 616
- The Hypothalamus Controls Endocrine Function by Means of Peptidergic Neurons* 616
- Magnocellular Neurons Release Oxytocin and Vasopressin* 618
- Parvicellular Neurons Release Inhibiting and Releasing Hormones* 619
- Hypothalamic Neurons Participate in Four Classes of Reflexes** 620
- Milk Ejection and Uterine Contraction Are Regulated by a Neural Input and a Humoral Output* 620
- Urine Flow Is Regulated by a Humoral Input and a Humoral Output* 620
- The Brain Itself Is a Target for Hormone Action** 621
- Feedback Loops Involve a Humoral Input and a Humoral Output* 621
- Central Effects of Hormones on Behavior Involve a Humoral Input and a Neural Output* 622
- Hormones May Be Important for Learning* 622
- The Hypothalamus Helps Regulate the Autonomic Nervous System** 623
- The Hypothalamus Is Involved in Emotional Behavior** 623
- An Overall View** 624
- Selected Readings** 625
- References** 625
- 47 Hypothalamus and Limbic System II: Motivation** 626
- Irving Kupfermann
- Motivational or Drive States Are Thought to Intervene between Stimuli and Complex Responses** 626
- Homeostatic Processes Can Be Analyzed in Terms of Control Systems** 627
- Temperature Is Regulated in Response to Peripheral and Central Input** 628
- Feeding Behavior Is Regulated by a Variety of Signals** 629
- Set Point* 629
- Controlling Elements* 630
- Hypothalamic Lesions and Fibers of Passage* 630
- Sensory and Motor Deficits* 630
- Alterations of Set Point* 631
- Hormonal Effects* 631
- Nonhypothalamic Elements* 631
- Signals Regulating Feeding* 631
- Thirst Is Regulated by Tissue Osmolality and Vascular Volume** 632
- Motivated Behaviors Can Be Regulated by Factors Other Than Tissue Needs** 633
- Ecological Constraints* 633
- Anticipatory Mechanisms* 633
- Hedonic Factors* 634
- Intracranial Self-Stimulation Can Reinforce Behavior** 634
- An Overall View** 634
- Selected Readings** 634
- References** 634
- 48 Cortical Neurons, the EEG, and the Mechanisms of Epilepsy** 636
- John H. Martin
- Cortical Neurons Have Properties That Are Specially Suited to Their Function** 637
- The Cerebral Cortex Contains Two Major Classes of Neurons* 637
- Powerful Inhibitory Synapses Are Located Close to the Cell Body* 638
- Pyramidal Cells Are Capable of High-Frequency Firing* 638
- Dendritic Trigger Zones Boost Remote Input* 639
- Glial Cells May Buffer the Extracellular K⁺ Concentration** 639
- The Collective Behavior of Neurons Can Be Studied Noninvasively in Humans by Using Macroelectrodes** 640
- Electroencephalograms Reflect Summated Postsynaptic Potentials in Cortical Neurons** 643
- Stimulation of Sensory Pathways Can Be Recorded as Evoked Potentials** 644
- Epilepsy Is a Disease of Cerebral Neuron Dysfunction** 645
- Partial and Generalized Seizures Have Different Clinical and EEG Features* 645
- Epileptic Seizures Can Be Produced in Experimental Animals* 646
- An Overall View** 646
- Selected Readings** 647
- References** 647

49 Sleep and Dreaming 648

Dennis D. Kelly

Sleep Is an Active and Rhythmic Neural Process 649**Normal Sleep Cycles Through Identifiable Stages within a Single Sleep Period 650***Slow-Wave Sleep without Rapid Eye Movements 650**Sleep with Rapid Eye Movements 650**Architecture of a Night's Sleep 651***The Daily Sleep Requirement Varies with Age 651****The Phylogeny of Sleep May Provide a Clue to the Function of REM Sleep 652****The Psychophysiology of Dream Content 652***Intensity Gradient of Dreams within a Night's Sleep 652**The Content of Dreams 653**Erection Cycles during Sleep 653**Passage of Time in Dreams 653**REM Versus Non-REM Mentation 653***Selective Deprivation of REM Sleep Results in a REM Rebound 654****Several Neural Mechanisms May Be Responsible for the Sleep-Wake Cycle 654***Early Concept of the Reticular Activating System 654**Evidence for a Sleep-Inducing Area in the Brain Stem 655**Raphe Nuclei 655**Nucleus of the Solitary Tract 655**The Suprachiasmatic Nucleus and the Biological Clock for the Sleep-Wake Cycle 655***Distinct Regions of the Brain Stem May Also Trigger REM Sleep 656****A Perspective on Neurotransmitters and Sleep 656****Selected Readings 657****References 657****50 Disorders of Sleep and Consciousness 659**

Dennis D. Kelly

Insomnia Is a Symptom, Not a Unitary Disease 659*Two Normal Sources of Insomnia Are Disrupted Rhythms and Aging 660**Psychopathology Is Often Mirrored in Disturbed Sleep 660**Medication May Initially Help, Then Harm Sleep 660***Nocturnal Enuresis Is Not Caused by Dreaming 662****Somnambulism Is a Non-REM Phenomenon 662****Night Terrors, Nightmares, and Terrifying Dreams Occur in Different Stages of Sleep 662****Sleep Apnea May Result in Hyposomnia or Hypersomnia 664****Narcolepsy: Irresistible Sleep Attacks Are Accompanied by Several REM-Related Symptoms 664****Loss of Consciousness: Coma Is Not Deep Sleep 666***Transient Losses of Consciousness Can Result from Decreased Cerebral Blood Flow 666**Coma Has Many Causes 666**Infratentorial Lesions 667**Supratentorial Lesions 668**Metabolic Coma 669**The Determination of Cerebral Death Constitutes a Medical, Legal, and Social Decision 669***Selected Readings 670****References 670****Part IX****Localization of Higher Functions and the Disorders of Language, Thought, and Affect 671****51 Hemispheric Asymmetries and the Cortical Localization of Higher Cognitive and Affective Functions 673**

Irving Kupfermann

The Association Areas Are Involved in Higher Functions 675**Intracortical Association Pathways Are Hierarchically Organized 676****The Association Areas of the Prefrontal Region Are Thought to Be Involved in Cognitive Behavior and Motor Planning 677***Lesions of the Principal Sulcus Interfere with Specific Motor Tasks 677**Lesions of the Inferior Prefrontal Convexity Interfere with Appropriate Motor Responses 679***The Association Areas of the Limbic Cortex Mediate Affective Aspects of Emotional Behavior as well as Memory 679**

The Orbitofrontal Portion of the Limbic Association Cortex Is Concerned with Emotional Behavior 679

The Temporal Lobe Portion of the Limbic Association Cortex Is Thought to Be Concerned with Memory Functions 680

The Association Areas of the Parietal Lobe Are Involved in Higher Sensory Functions and Language 680

The Two Hemispheres Are Not Fully Symmetrical and Differ in Their Capabilities 681

Split-Brain Experiments Reveal Important Asymmetries and Show That Consciousness and Self-Awareness Are Not Unitary 683

Why Is Function Lateralized? 685

An Overall View 686

Selected Readings 686

References 686

52 Natural Language, Disorders of Language, and Other Localizable Disorders of Cognitive Functioning 688

Richard Mayeux and Eric R. Kandel

All Human Languages Share Four Distinctive Features 689

Animal Models of Human Language Have Been Largely Unsatisfactory 690

What Is the Origin of Human Language? 691

Is the Capability for Human Language an Innate Cognitive Skill or Is It Learned? 691

Aphasias Are Disorders of Human Language That Also Interfere with Other Cognitive Processing 693

The Aphasias Can Be Understood on the Basis of the Wernicke–Geschwind Model for Language 693

Six Clinical Syndromes of Aphasia Can Be Distinguished and Related to Different Anatomical Loci 694

Wernicke's Aphasia 694

Broca's Aphasia 694

Conduction Aphasia 695

Anomic Aphasia 695

Global Aphasia 695

Transcortical Aphasias 695

Aprosodias Are Disorders of the Melodic Intonation of Language and Its Perception 696

Some Disorders of Reading and Writing Can Also Be Accounted for by the Wernicke–Geschwind Model 696

Alexias and Agraphias Are Acquired Disorders of Reading and Writing 696

Word Blindness Accompanied by Writing Impairment: Alexia with Agraphia 696

Pure Word Blindness: Alexia without Agraphia 696

Phonetic Symbols and Ideographs Are Localized to Different Regions of the Cerebral Cortex 697

Dyslexia and Hyperlexia Are Developmental Disorders of Reading 697

Apraxia Is a Disorder in the Execution of Gesture and Learned Movements 698

An Overall View 699

Postscript: A Clinical Exercise in Distinguishing the Aphasias 700

Is Spontaneous Speech Fluent or Nonfluent? 700

Can the Patient Repeat Words or Phrases? 700

How Well Can Language Be Comprehended? 701

Is There Difficulty in Naming? 701

Are There Associated Disturbances of Reading and Writing? 702

Are There Other Associated Signs? 702

Selected Readings 702

References 702

53 Disorders of Thought: The Schizophrenic Syndromes 704

Edward J. Sachar

The Diagnosis of Mental Illnesses Must Meet Certain Criteria 705

Schizophrenia Can Now Be More Accurately Diagnosed 705

There Is an Important Genetic Component to Schizophrenia 706

Specific Drugs Are Effective in the Treatment of Schizophrenia 707

Antischizophrenic Drugs Affect Dopaminergic Transmission 708

A Dopamine Hypothesis of Schizophrenia Has Been Proposed 712

The Neuropathology of Schizophrenia Might Be Located in the Mesolimbic Dopaminergic System 713

There Are Important Weaknesses in the Dopamine Hypothesis 714

Negative Symptoms of Schizophrenia May Have Other Causes 715

Are There Two Distinct but Overlapping Forms of Schizophrenia? 715

Selected Readings 715

References 715

54 **Disorders of Feeling: Affective Diseases** 717

Edward J. Sachar

The Clinical Features of Major Depressive Disorders Suggest a Defect in the Hypothalamus 718

Unipolar (Recurrent Depressive) Disorders 718

Bipolar (Manic Depressive) Disorders 718

There Is a Strong Genetic Predisposition for the Major Depressions 718

There Are Effective Somatic Treatments for Depression 719

A Biogenic Amine Hypothesis of Depression Has Been Proposed 720

The Original Biogenic Amine Hypothesis Is Undergoing Major Revision 723

There Are Disordered Neuroendocrine Functions in Depression 724

An Overall View 725

Selected Readings 725

References 725

Part X **Development, Critical Periods, and the Emergence of Behavior** 727

55 **Determination and Differentiation in the Development of the Nervous System** 729

Samuel Schacher

Determination of Nervous Tissue Occurs Through an Interaction between Mesoderm and a Special Region of Ectoderm 731

Underlying Mesoderm Leads to Neural Induction of Neuroectoderm 732

Neural Induction Produces a Regional Specification of the Neuroectoderm That Is Irreversible 733

Differentiation Occurs in Three Phases 734

Proliferation Occurs in Specific Locations and at Specific Times 734

Cell Proliferation Occurs in Each Region of the Brain at a Particular Germinal Zone 734

Certain Neurons Proliferate Again after Migration 735

Different Types of Cells Are Generated at Different Times: The Role of Cell Lineage 735

Migration Affects Cell Differentiation 736

Cells of the Neural Crest Are Influenced by Their Local Environment 736

Cellular Interactions Aid Migration in the Cerebellar Cortex 738

An Overall View 741

Selected Readings 741

References 741

56 **Synapse Formation, Trophic Interactions between Neurons, and the Development of Behavior** 743

Eric R. Kandel

Information about Final Position Is Important for Establishing Precise Connections in the Central Nervous System 744

The Initial Mapping of Connections Is Thought to Involve Three Sequential Processes 746

The Outgrowing Presynaptic Cells and Their Target Cells Are Chemically Coded to Mark Their Position 746

Outgrowing Axons Are Guided to Targets by Cues Distributed along the Pathway 748

The Outgrowing Axons Selectively Recognize the Target Cells 749

The Final Stages of Synapse Formation Are Thought to Involve Numerical Matching and Fine Tuning Through Competition and Activity 749

The Size of the Target Population Influences the Number of Surviving Neurons 750

Some Early Synaptic Contacts Are Later Retracted 751

Nerve Growth Factor Is an Example of a Trophic Signal 751

Activity Can Influence the Distribution of the Acetylcholine Receptor in the Muscle Membrane 753

Activity Can Influence the Speed of Muscle Contraction 754

An Overall View 754

Selected Readings 755

References 755

57 Early Experience, Critical Periods, and Developmental Fine Tuning of Brain Architecture 757

Eric R. Kandel

There Is a Critical Period in the Development of Normal Social and Perceptual Competence 757

Isolated Young Monkeys Do Not Develop Normal Social Behavior 758

Early Sensory Deprivation Alters Perceptual Development 759

There Are Cellular Correlates of Sensory Deprivation in Experimental Animals 759

Loss of Responsiveness of Cortical Neurons to the Closed Eye Results from Altered Competition between Inputs 762

Balanced Competition Is Important for Segregating Inputs into the Cortical Columns during Normal Development 763

The Development of Ocular Dominance Can Be Followed by Injecting Single Geniculate Axons with a Marker Substance 767

Columns Can Be Induced in Brain Regions Lacking Them by Establishing Appropriate Competition 767

The Development of Ocular Dominance Columns Is an Important Model for Understanding the Development of Behavior 768

Studies of Development Are Important Clinically 769

Selected Readings 769

References 769

58 Sexual Differentiation of the Nervous System 771

Dennis D. Kelly

Reproductive Behaviors Are Sexually Dimorphic 772

Gonadal Hormones Influence the Sexual Differentiation of the Brain 772

Perinatal Hormones Affect the Sexual Differentiation of the Developing Organism 774

Fetal Exposure to Male Hormones Causes Hermaphroditism in Genetic Females 774

Steroid Hormones Influence Perinatal Development Only during Critical Periods 774

Timing of the Critical Period Varies in Different Species 775

The Brain Can Be Androgenized by Many Natural and Experimental Compounds 775

Sexually Differentiated Brains Have Different Physiological Properties and Behavioral Tendencies 776

Perinatal Hormones Also Determine the Degree to Which Sex-Linked Behaviors Are Expressed by Normal Males and Females 778

Sexual Differentiation Is Reflected in the Structure of Certain Neurons 778

Cellular Mechanisms Involved in the Development of Sex Differences in the Brain Can Be Studied in Vitro 779

A Wide Range of Behaviors Is Influenced by Sex Differences in the Organization of the Brain 780

Aggressive Behaviors: Stimuli Differ for the Two Sexes 780

Cognitive Behaviors: The Development of the Monkey Cortex Is Sexually Dimorphic 781

Human Cerebral Asymmetries Display Sexual Dimorphism 781

Human Sexuality Also Depends upon Learning 782

Selected Readings 782

References 783

59 Aging of the Brain and Dementia 784

Lucien Côté

Several Hypotheses Have Been Proposed for the Molecular Mechanisms of Aging 785

Dementia Is Prominent in the Clinical Syndromes of Aging 786

Five Characteristic Cellular Changes of Aging Occur with Increased Frequency in Dementia 786

Characteristic Biochemical Changes Take Place in the Brain with Aging 790

Alzheimer's Disease Involves Selective Loss of Cholinergic Neurons in the Basal Forebrain 791

One Form of Dementia Is of Viral Origin 791

An Overall View 791

Selected Readings 791

References 792

Part XI**Genes, Environmental Experience, and the Mechanisms of Behavior 793****60 Genetic Determinants of Behavior 795**

Irving Kupfermann

The Concept of Instinct: Are Aspects of Behavior Genetically Determined? 795*Ethologists Define Instincts as Inborn Motor Patterns 796**Can Behavior Be Inherited? 797***Sign Stimulus and Fixed Action Pattern Are Two Key Concepts in the Analysis of Species-Specific Behavior 797****Fixed Action Patterns Are Generated by Central Programs 798****The Role of Genes in the Expression of Behavior Can Now Be Studied Directly 800****Higher Mammals and Humans Seem to Have Certain Innate Behavioral Patterns 801***Certain Human Behavioral Traits Have a Hereditary Component 801**Many Human Behaviors Are Universal 801**Stereotyped Sequences of Movements Resemble Fixed Action Patterns 802**Certain Complex Patterns Require Little or No Learning 802***The Brain Sets Limits on the Structure of Language 802****Selected Readings 803****References 804****61 Learning 805**

Irving Kupfermann

Certain Elementary Forms of Learning Are Nonassociative 806**Classical Conditioning Involves Associating a Conditioned and an Unconditioned Stimulus 806***Conditioning Involves the Learning of Predictive Relationships 807***Operant Conditioning Involves Associating an Organism's Own Behavior with a Subsequent Reinforcing Environmental Event 808****Food-Aversion Conditioning Illustrates How Biological Constraints Influence the Efficacy of Reinforcers 809****Conditioning Is Used as a Therapeutic Technique 809***Classical Conditioning Has Been Applied in Systematic Desensitization 809**Operant Conditioning Has Been Used to Treat Severe Behavioral Problems 809***Learning and Memory Can Be Classified as Reflexive or Declarative on the Basis of How Information Is Stored and Recalled 810****The Neural Basis of Memory Can Be Summarized in Four Principles 811***Memory Has Stages 811**Long-term Memory May Be Represented by Plastic Changes in the Brain 812**Memory Traces Are Often Localized in Different Places Throughout the Nervous System 812**Reflexive and Declarative Memories May Involve Different Neuronal Circuits 813*

Reflexive Memory 813

Declarative Memory 813

Reflexive Versus Declarative Memory in Amnesic Patients 814

Selected Readings 814**References 815****62 Cellular Mechanisms of Learning and the Biological Basis of Individuality 816**

Eric R. Kandel

Habituation Involves a Depression of Synaptic Transmission 817**Sensitization Involves an Enhancement of Synaptic Transmission 819***Sensitization Can Now Be Understood in Molecular Terms 820**Sensitization Can Reverse the Synaptic Depression of Habituation 821***Long-term Habituation and Sensitization Produce Morphological Changes 822****Cell-Biological Studies of Habituation and Sensitization Have Provided Some Basic Insights into the Mechanisms of Learning and Memory 823****Classical Conditioning Involves Activity-Dependent Enhancement of Presynaptic Facilitation 823****The Somatotopic Map in the Brain Is Modifiable by Experience 827****Changes in the Somatotopic Map Produced by Learning May Contribute to the Biological Expression of Individuality 829**

Studies of Neuronal Changes with Learning Provide Insights into Psychiatric Disorders 831

An Overall View 831

Selected Readings 832

References 832

Appendix I

Brain Fluids and Their Disorders 835

A. Blood–Brain Barrier, Cerebrospinal Fluid, Brain Edema, and Hydrocephalus 837

Lewis P. Rowland

Cerebrospinal Fluid Is Secreted by the Choroid Plexus 837

Specific Permeability Barriers Exist between Blood and Cerebrospinal Fluid and between Blood and Brain 839

The Blood–Brain Barrier Breaks Down in Some Diseases 841

Cerebrospinal Fluid Has Multiple Functions 842

The Composition of Cerebrospinal Fluid May Be Altered in Disease 842

Increased Intracranial Pressure May Harm the Brain 842

Brain Edema Is a State of Increased Brain Volume Due to Increased Water Content 842

Vasogenic Edema Is a State of Increased Extracellular Fluid Volume 843

Cytotoxic Edema Is the Swelling of Cellular Elements 843

Interstitial Edema Is Attributed to Increased Water and Sodium in Periventricular White Matter 843

Hydrocephalus Is an Increase in the Volume of the Cerebral Ventricles 843

Selected Readings 844

References 844

B. Cerebral Blood Flow and Metabolism 845

Shu Chien

Mean Cerebral Blood Flow and Regional Cerebral Blood Flow Are Measured by Different Techniques 846

Mean Cerebral Blood Flow Is Measured by Arteriovenous Equilibration with Freely Diffusible Inert Gas 846

Regional Cerebral Blood Flow Is Measured by the Equilibrium Diffusion Technique 847

Cerebral Blood Flow Is Affected by Changes in Arterial Pressure and Cerebral Flow Resistance 848

Arterial Pressure Is Regulated by Circulatory Reflexes 848

Baroreceptor Reflex 848

Cerebral Ischemic Response 848

Cerebral Flow Resistance Is Subject to Several Types of Regulation 848

Blood Viscosity 848

Neural Regulation 848

Autoregulation (Independent of Vasomotor Neurons) 848

Cerebral Blood Flow and Metabolism Change under Various Conditions 849

Mean Cerebral Blood Flow and Metabolism Are Affected by Certain Pathological Conditions 849

Regional Cerebral Blood Flow and Metabolism Vary with Physiological Activities and Disease 849

Selected Readings 852

References 852

C. Stroke: Diagnostic, Anatomical, and Physiological Considerations 853

John C. M. Brust

The Blood Supply of the Brain Can Be Divided into Arterial Territories 854

Clinical Vascular Syndromes May Follow Vessel Occlusion, Hypoperfusion, or Hemorrhage 857

Infarction Can Occur in the Middle Cerebral Artery Territory 857

Infarction Can Occur in the Anterior Cerebral Artery Territory 858

Infarction Can Occur in the Posterior Cerebral Artery Territory 858

The Anterior Choroidal and Penetrating Arteries Can Become Occluded 858

The Carotid and Basilar Arteries Can Become Occluded 858

Diffuse Hypoperfusion Can Cause Ischemia or Infarction 859

The Rupture of Microaneurysms Causes Intraparenchymal Hemorrhage 859

The Rupture of Berry Aneurysms Causes Subarachnoid Hemorrhage 859

Stroke Alters the Vascular Physiology of the Brain 860

Selected Readings 861

Appendix II

Neuroophthalmology 863

A. Physiological Optics, Accommodation, and Stereopsis 865

Peter Gouras

The Lens Focuses an Inverted Image on the Photoreceptors 865

Light Is Refracted in the Eye 866

Snell's Law Predicts the Refraction of Light 866

Thin Lens Formulas Are Derived from Snell's Law 867

Image Formation in Monocular Vision Has Physical Limitations 869

Alterations in Refractive Power Affect Image Formation 869

The Image Can Be Degraded by Spherical and Chromatic Aberrations 870

Blurs Can Also Be Caused by Diffraction 871

Ocular Reflexes Adapt the Eye to Changing Conditions 871

The Pupillary Light Reflex Is an Automatic Brightness Control Mechanism 871

Accommodation Allows the Eye to Focus up Close 872

Binocular Vision Is Important for Depth Perception 872

Selected Readings 874

References 875

Appendix III

The Flow of Ionic and Capacitive Current in Nerve Cells 877

A. Review of Electrical Circuits 879

John Koester

Definition of Electrical Parameters 879

Potential Difference (V or E) 879

Current (I) 880

Conductance (g) 880

Capacitance (C) 880

Rules for Circuit Analysis 882

Conductance 882

Current 882

Capacitance 883

Potential Difference 883

Current Flow in Circuits with Capacitance 884

Capacitive Circuit 884

Circuit with Resistor and Capacitor in Series 885

Circuit with Resistor and Capacitor in Parallel 886

B. Problem Set for Chapters 5–9 887

Bibliography 895

Illustration and Table Credits 923

Name Index 927

Subject Index 941