



Table of Contents

Abstract	i
Acknowledgements	iii
Table of Contents	viii
List of Figures	xii

Chapter 1

Introduction	1
1.1 Research objectives	3
1.2 General design of a radiographic x-ray system	6
1.3 Description of x-ray tube and generator parameters	12
1.4 Effects of x-ray tube potential on image quality and patient dose; requirements for the accurate calibration of tube potential	21
1.5 X-ray generator types and their associated tube potential waveforms ...	27
1.5.1 Idealized constant potential generators	28
1.5.2 Single phase generators	28
1.5.3 Three phase generators	33
1.5.4 Medium to high frequency generators	37
1.5.5 Capacitor discharge generators	42

Chapter 2

Measurement methods of x-ray tube potential	44
2.1 Spark gap	44
2.2 Voltage divider	46
2.3 Spectral end point measurement	52
2.4 K-edge fluorescence and absorption	55
2.5 Methods using differential beam attenuation measurements	57
2.5.1 Stanton penetrometer	60
2.5.2 Ardran-Crooks penetrometer	63
a. A penetrometer utilizing different intensifying screens	64
b. A penetrometer utilizing an optical attenuator (Wisconsin kVp test cassette)	65
2.5.3 Electronic penetrometer (digital kVp meter)	67

Chapter 3

Proposed definitions of "tube potential (kV)" and "peak tube potential (kVp)"	70
3.1 List of proposed definitions	71

Chapter 4

A simple, noninvasive technique for kVp measurement utilizing an ion chamber and copper filters	81
4.1 Description of method	81
4.2 Test data and limitations of method	83

Chapter 5

A digital kVp meter utilizing a four diode detector	89
5.1 Basic design of the digital kVp meter	89
5.2 Comparison of a basic difference in the theory of operation of the digital kVp meter and the Wisconsin kVp Test Cassette	90
5.3 Basic detector design - selection of differential filtration - preliminary calibration tests	95
5.4 Four diode detector configuration	102
5.4.1 Error reduction and sensitivity increase with the four diode detector	106
5.5 Description and function of the electronic circuit	108
5.6 Digital kVp meter calibration theory -calibration curves and methods of calibration - meaning of kVp reading	117
5.7 Error analysis; comparison between two diode and four diode detector arrays	129
5.7.1 Filtration dependence	132
5.7.2 Rotation dependence	135
5.7.3 Translation dependence	141
5.7.4 Tilt dependence	144
5.7.5 Distance dependence	148
5.7.6 Collimation dependence	153
5.7.7 Error summary	154

Chapter 6

Brief description of two additional digital kVp meters

developed by the author of this thesis 155

6.1 A digital kVp meter with a kVp measurement range in
the region used for mammography 155

6.2 A digital kVp meter with extended measurement functions 158

Chapter 7

Summary, conclusions and recommendations for further

research and development 164

References 167

Appendices

A . Schematic of RMI Model 230 kVp Meter 177

B. U.S. Patent Number 4,697,280: "Method and apparatus
for the measurement of x-ray sources" 178

C. U.S. Patent Number 4,935,950: "Instrument for the
measurement of x-ray beam characteristics" 194



UNIVERSIDAD NACIONAL DE ENTRE RÍOS
FACULTAD DE INGENIERÍA
CENTRO DE MEDIOS
BIBLIOTECA